

[insert presenter info]

Why is nutrition so important?

- Meet increased nutrient demands
- Provide needed energy
- Prevent or minimize common pregnancyrelated problems
- Reduce risk of birth defects
- Supply needed nutrients for baby's growth
- Ensure healthy birth weight
- Maintain a healthy weight

Recommended Weight Gain

Underweight 28-40 lbs

Normal weight 25-35 lbs

Overweight 15-25 lbs

Obese at least 15 lbs

Twins 35-45 lbs

Normal Pregnancy Weight Gain

Breast 1-1.5 lbs

Blood
3-4.5 lbs

Extra water 4-6 lbs

2.5-3.0 lbs

Placenta/amniotic fluid 3.5-5.5 lbs

Baby
7-8 lbs

Fat stores 4-6.5 lbs

Total 25-35 lbs

Eating for Two!!

- ~300 calories/day during 2nd and 3rd trimester
- **300** calories:
 - ½ sandwich + 1 c. milk/yogurt OR
 - 1 c. cereal + 1 c. milk + banana OR
 - Peanut butter on 2 slices toast + 1 c. milk

Proper nutrition

- Major Nutrients
 - Carbohydrates
 - Protein
 - Fat
 - Vitamins
 - Minerals
 - Water



Carbohydrates

- Sugars and starches
- Body's primary source
- Do carbs make you fat?
- Fruits, breads, some vegetables, grains, milk (4 servings/day)
- Should make up 60-70% of total daily calories



Fat

- Source of stored energy activity
- Makes you feel full and no hungry
- Helps the body absorb fat nutrients
- Choose healthy fats
- **20-25% of total calories (use sparin**
- Contains most calories per gram





Protein

- Builds and repairs the body
- Used for energy if the diet is inadequate in carbohydrates
- Found in fish, poultry, meats, tofu, nuts, beans, eggs, milk, cheese
- Need ~10 grams more per day in pregnancy
- **10-20%** of total calories




Water

- 60-75% of body weight
- Stabilizes body temperature
- Carries nutrients to and waste away from cells
- Needed for cell function
- **28-12** cups/day





Fiber



- Fiber: Whole grains, fruits, vegetables
 - Wheat bread: check the label
 - Fruit vs. Juice
- Stabilizes blood sugar
- Protection from diabetes, constipation, diverticulosis, lowers LDL cholesterol
- **25-35** grams/day

Vitamins and Minerals

- Body does not make most vitamins
 - Good source: Deep colored fruits and vegetables
 - Fresh, frozen, canned
- Multivitamin: phytonutrients and antioxidants
- B Vitamins

Special Interest Nutrients



Vitamin B₁₂

- Generally adequate amounts are obtained through animal products
 - Fish, eggs, milk, meats, etc.
- Vegans that do not have any animal products in their diet need supplementation
- Works with folic acid in cell growth and is essential to the normal development of the infant

Folic Acid

- A supplement taken 1-3 months prior to conception and during first 6 weeks gestation reduces the risk of neural tube defects
- Needed for rapidly dividing cells, protein metabolism, and formation of red blood cells

Food Sources of Folic Acid

- Fortified breakfast cereals
- Dried beans
- Liver/meats
- Spinach and green leafy vegetables
- Citrus fruits
- Peanuts and sunflower seeds

Iron

- Needed for the formation of red blood cells
- 15 milligrams a day for woman during childbearing years recommended
- Typical American diet 10-11 milligrams a day

Food Sources of Iron

- Meats
- Fish
- Poultry
- Legumes

- Whole-grain and enriched breads
- Enriched cereals
- Dark greens
- Dried apricots

Calcium

- Calcium absorption doubles early in pregnancy
- Is used in the formation of fetal bones
- Will be absorbed from maternal bones if not enough calcium in diet
- Calcium absorption increases with Vitamin D

Food Sources of Calcium

- Milk low-fat, skim
- Yogurt (low-fat)
- Oysters
- Shrimp
- Calcium-fortified apple and orange juice

- Collard greens
- Broccoli
- Turnip greens
- Sesame seeds

Foods to Avoid

- Fish containing high levels of mercury (shark, swordfish, king mackerel, and tile-fish)
- Raw fish and raw shellfish
- Raw eggs or dishes containing raw or partially cooked eggs

Foods to Avoid (cont.)

- Raw or undercooked meat and poultry
- Sushi
- Pate
- Soft or blue-veined cheeses
- Unpasteurized cheeses
- Deli meats



Things to Avoid During Pregnancy

- Alcohol
- Cigarettes
- Recreational drugs
- Over-The-Counter Medications or Herbal Supplements
 - Consult health care provider
- Caffeine
 - Consult health care provider



The Food Guide Pyramid

Fats, Oils & Sweets
USE SPARINGLY



- Fat (naturally occurring and added)
- Sugars (added)

These symbols show fats and added sugars in foods.

Milk, Yogurt & Cheese Group

2-3 SERVINGS



Meat, Poultry, Fish, Dry Beans, Eggs & Nuts Group

2-3 SERVINGS

Vegetable Group

3-5 SERVINGS






Fruit Group 2-4 SERVINGS


Bread, Cereal, Rice & Pasta Group

> 6-11 SERVINGS

Typical Plate



Reconstruct Your Plate





Nausea and Vomiting

- Avoid strong odors
- Eat before getting out of bed crackers, plain toast, or dry cereal
- Avoid an empty stomach
- Eat easy-to-digest foods
- **Eat slowly**
- Snack before bed
- Try lemon, ginger tea, lemonade, ginger ale, Sprite, 7-up etc. to settle stomach

Constipation

- Hormonal changes slow down the intestine
- Drink 8-12 glasses of water everyday
- Eat high-fiber foods
- Try dried plums, prune juice, or figs
- Be as physically active as possible
- Do not use laxatives unless prescribed by health care provider

Heartburn

- Eat small meals frequently
- Cut down on caffeinated and carbonated beverages
- Eat slowly in a relaxed environment
- Do not lie down after eating
- Prop head of bed up
- Wear loose-fitting comfortable clothes
- Avoid gaining too much weight
- Talk to doctor before taking antacids

Swelling

- As blood supply increases, legs, feet, and arms may swell
- Drink plenty of fluids, especially water
- Avoid diuretics, unless prescribed by health care provider
- Elevate your feet whenever possible
- Wear loose-fitting shoes and clothes

Pica (nonfood cravings)

- Some pregnant women develop cravings for nonfood substances like clay, dirt, ice, or laundry starch
- This does not reflect a physiological need for a particular nutrient
- Pica is especially common in African American women
- Pica may lead to iron-deficiency anemia, malnutrition and lead exposure (brain damage)

Questions??







Acknowledgements

MAJ Sonya J. C. Corum

Nutrition Staff Officer

Directorate of Health Promotion and Wellness
U. S. Army Center for Health Promotion and Preventive Medicine

LTC Deborah Simpson
Individual Mobilization Augmentee (IMA) Dietitian
Directorate of Health Promotion and Wellness
U.S. Army Center for Health Promotion and Preventive Medicine

Krause's Food, Nutrition, and Diet Therapy
Nutrition for Women: The Complete Guide Elizabeth Somer, MA, RD

What to Expect When You Are Expecting Eisenberg, Murkoff, and Hathaway